

## Sectioning commands with critical notes in parallel columns

This file provides examples of using sectioning commands with `reledpar`. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in columns. We use `\eledsectnotoc{L}` to say we want the right titles be added to the table of contents, and not the left titles. We also use `\eledsectmark{R}` to use the right side to add  $\LaTeX$  marks for headers.

We use the `\reledxxx` commands, each of them in their own `\pstart . . . \pend` group. Page clearings are manually added before chapter with `\beforeeledchapter`.



# Contents

|          |                            |          |
|----------|----------------------------|----------|
| <b>1</b> | <b>Right chapter</b>       | <b>5</b> |
| 1.1      | Right section . . . . .    | 5        |
| 1.1.1    | Right subsection . . . . . | 5        |
| 1.2      | Right section . . . . .    | 5        |
| <b>2</b> | <b>Right chapter</b>       | <b>7</b> |
| 2.1      | Right section . . . . .    | 7        |
| 2.1.1    | Right subsection . . . . . | 7        |
| 2.2      | Right section . . . . .    | 7        |



# Chapter 1

## 1 Left chapter

2 I use git to manage some packages.  
3 I would like to add a pre-commit hook,  
4 to check if I have forgotten For now,  
5 I have a minimal pre-commit, which  
6 tests only the blank spaces at ends of  
7 lines, but not the forgotten..

### 1.1 Left section

#### 1.1.1 Left subsection

##### Left subsubsection

11 I use git to manage some packages.  
12 I would like to add a pre-commit hook,  
13 to check if I have forgotten For now,  
14 I have a minimal pre-commit, which  
15 tests only the blank spaces at ends of  
16 lines, but not the forgotten.

### 1.2 Left section

---

1 chapter ] chapitre  
1 chapter ] chapitre  
9 subsection ] sous-section  
9 subsection ] sous-section  
10 subsubsection ] sous-sous-section  
10 subsubsection ] sous-sous-section

# Chapter 1

## Right chapter 1R

2R I use git to manage some packages.  
3R I would like to add a pre-commit hook,  
4R to check if I have forgotten For now,  
5R I have a minimal pre-commit, which  
6R tests only the blank spaces at ends of  
7R lines, but not the forgotten..

### 1.1 Right section 8R

#### 1.1.1 Right subsection 9R

##### Right subsubsection 10R

11R I use git to manage some packages.  
12R I would like to add a pre-commit hook,  
13R to check if I have forgotten For now,  
14R I have a minimal pre-commit, which  
15R tests only the blank spaces at ends of  
16R lines, but not the forgotten.

### 1.2 Right section 17R

18 I use git to manage some packages.  
19 I would like to add a pre-commit hook,  
20 to check if I have forgotten For now,  
21 I have a minimal pre-commit, which  
22 tests only the blank spaces at ends of  
23 lines, but not the forgotten.

I use git to manage some packages. 18R  
I would like to add a pre-commit hook, 19R  
to check if I have forgotten For now, 20R  
I have a minimal pre-commit, which 21R  
tests only the blank spaces at ends of 22R  
lines, but not the forgotten. 23R

## Chapter 2

### **Left chapter**

I use git to manage some packages.  
I would like to add a pre-commit hook,  
to check if I have forgotten For now,  
I have a minimal pre-commit, which  
tests only the blank spaces at ends of  
lines, but not the forgotten..

#### **2.1 Left section**

##### **2.1.1 Left subsection**

###### **Left subsubsection**

I use git to manage some packages.  
I would like to add a pre-commit hook,  
to check if I have forgotten For now,  
I have a minimal pre-commit, which  
tests only the blank spaces at ends of  
lines, but not the forgotten.

#### **2.2 Left section**

---

1 chapter ] chapitre  
1 chapter ] chapitre  
9 subsection ] sous-section  
9 subsection ] sous-section  
10 subsubsection ] sous-sous-section  
10 subsubsection ] sous-sous-section

## Chapter 2

### **Right chapter**

I use git to manage some packages.  
I would like to add a pre-commit hook,  
to check if I have forgotten For now,  
I have a minimal pre-commit, which  
tests only the blank spaces at ends of  
lines, but not the forgotten..

#### **2.1 Right section**

##### **2.1.1 Right subsection**

###### **Right subsubsection**

I use git to manage some packages.  
I would like to add a pre-commit hook,  
to check if I have forgotten For now,  
I have a minimal pre-commit, which  
tests only the blank spaces at ends of  
lines, but not the forgotten.

#### **2.2 Right section**

18 I use git to manage some packages.  
19 I would like to add a pre-commit hook,  
20 to check if I have forgotten For now,  
21 I have a minimal pre-commit, which  
22 tests only the blank spaces at ends of  
23 lines, but not the forgotten.

I use git to manage some packages. 18R  
I would like to add a pre-commit hook, 19R  
to check if I have forgotten For now, 20R  
I have a minimal pre-commit, which 21R  
tests only the blank spaces at ends of 22R  
lines, but not the forgotten. 23R